

***koldpack***<sup>®</sup>  
*filling & packaging technology*

Assisting to Retain  
**Natural Aroma**  
of Your Product



**Koldpack** is a professionally managed customer-oriented multi divisional company with a state-of-the-art manufacturing facilities at Ahmedabad. Serving Food, Beverages, Cosmetics, Pharmaceuticals, Pesticides etc.

**koldpack**<sup>®</sup>  
filling & packaging technology

[www.koldpackindia.com](http://www.koldpackindia.com)

### Rinsing - Filling - Capping Machine

RFC Series machine is fully automatic multi functional combined machine integrating washing, filling and capping into single body. The machine is equipped with advanced man-machine interface control technology with all necessary automation. It works on hanging neck holding method. Hence, very convenient bottle changeover. Versatile machine to pack mineral water as well as other beverages like fruit juice, squash etc., which are filled at higher temperature.



## Specifications

| Model                      | 10-5-1          | 12-12-5         | 12-16-6         | 18-18-6         | 24-24-8         | 32-32-10        | 40-40-12        |
|----------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Capacity @ 1000ml          | 30 BPM          | 60 BPM          | 75 BPM          | 90 BPM          | 120 BPM         | 160 BPM         | 200 BPM         |
| Water Pressure             | 2-3 kg/cm2      | 2-3 kg/cm2      | 2-3 kg/cm2      | 2-3 kg/cm2      | 2-3 kg/cm2      | 2-3 kg/cm2      | 2-3 kg/cm2      |
| Rinsing Water Consumption  | 400 Liters/hr.  | 800 Liters/hr.  | 900 Liters/hr.  | 1000 Liters/hr. | 1400 Liters/hr. | 1800 Liters/hr. | 2200 Liters/hr. |
| Compressed Air Pressure    | 4 to 6 Bar      | 4 to 6 Bar      | 4 to 6 Bar      | 6 to 8 Bar      | 6 to 8 Bar      | 6 to 8 Bar      | 6 to 8 Bar      |
| Compressed Air Consumption | 1 CFM           | 2 CFM           | 2 CFM           | 3 CFM           | 3 CFM           | 4 CFM           | 5 CFM           |
| Power Consumption          | 2.2 kw          | 4.47 kw         | 4.47 kw         | 6 kw            | 8 kw            | 9 kw            | 12 kw           |
| Weight                     | 1000 kgs.       | 2200 kgs.       | 2500 kgs.       | 3500 kgs.       | 5500 kgs.       | 8000 kgs.       | 10000 kgs.      |
| Bottle Size Range          | 200 to 2000 ml. | 200 to 2000 ml. | 200 to 2000 ml. | 200 to 2000 ml. | 200 to 2000 ml. | 200 to 2000 ml. | 200 to 2000 ml. |

\*Depends on container size, fill size, neck size of container, nature of liquid operator skill etc.

Bottle Size Diameter 50mm to 100mm, Respectively height 150mm to 320mm

Caps Type Plastic Screw Caps



BOPP Labeling



Air Conveyor



Sleeve Labeling



Touch Screen



Discharge Conveyor



Cap Elevator




Web Sealer

# Turnkey Projects for:

## BEVEARGE PROCESSING LINE

- PULP DILUTION TANK
- SUGAR CONVEING SYSTEM




SUGAR SYRUP PREPARATION

BEVERAGE PREPARATION


HOMOGENISER

PASTEURISER


CIP SYSTEM



MINERAL / PACKAGED DRINKING WATER LINE



CARBONATED BEVERAGE PACKING LINE



NATURAL / SYNTHETIC JUICE PACKING LINE



# **koldpack**<sup>®</sup>

*filling & packaging technology*

11, Varahi Estate, Nr. Rly. Crossing,  
Gota Road, Gota, Ahmedabad - 382 481,  
Gujarat, INDIA.

**Phone:** 02717241268, 9925206119, 9825014859

**Email:** [info@koldpackindia.com](mailto:info@koldpackindia.com)

**Web:** [www.koldpackindia.com](http://www.koldpackindia.com)



- Products manufactured by us can be used to serve packaging purpose for above kind of products.
- KOLDPACK reserves all rights to change any design parameter without any prior notice.